

# **Table 6A: Selected Diagnoses and Services Rendered**

### **PURPOSE:**

Table 6A is part of the clinical profile that reports on two separate sets of data: selected diagnoses and selected services rendered. It is designed to provide information on diagnoses and services using data maintained for billing purposes, lab reports, and/or electronic health record (EHR)/Health Information Technology (HIT) data.

### **CHANGES:**

- Applicable ICD-10-CM Codes, Value Set Object Identifiers (OIDs), CPT, and HCPCS Codes have been updated for 2024.
- 2024 UDS Table 6A Code Changes will be available for download.
- Codes are updated as of April 2024.
- Codes may be updated later in the year to capture critical updates made after this date.
- Line 21e, PrEP: New ICD-10-CM code Z29.81 for identifying PrEP management patients added.
- Line 26e, Childhood Development Screenings and Evaluations: Reporting is limited to patients less than 18 years of age.
- COVID Immunization codes have been consolidated.

In addition to an aggregate UDS Report submission within EHBs, health centers submit certain de-identified patient-level data (UDS+), including Table 6A using Health Level Seven (HL7®) Fast Healthcare Interoperability Resources (FHIR®) standards version release 4 (R4) for UDS, for the data elements on the following tables:

Health centers will submit UDS+ data through (bulk) FHIR R4 APIs, using the <u>UDS+ FHIR</u> <u>Implementation Guide</u> (IG) as described in Appendix G of the <u>UDS Manual</u>. Details on the minimum submission requirements will be announced on the <u>UDS Modernization</u> <u>Initiative</u> and the <u>Health Center Program</u> <u>Community</u> websites.

### **KEY TERMS:**

### **SELECTED DIAGNOSES (LINES 1 – 20F)**

**Visits, Column A:** Report the total number of visits (clinic and virtual) during the calendar year where the indicated diagnosis, regardless of primacy, is diagnosed or treated and listed in the health IT/EHR or visit/billing record.

**Patients, Column B:** Report each patient who had one or more visits (clinic and/or virtual) during the calendar year that were reported in the corresponding cell in Column A.

### **SELECTED TESTS/SCREENING (LINES 21 – 26E)**

**Visits, Column A:** Report the total number of visits (clinic and/or virtual) for which one or more of the listed diagnostic tests, screenings, and/or preventive services were provided during the year. Services may have been provided at the time of a visit, before a visit, or after a visit.

**Patients, Column B:** Report patients who had one or more visits (clinic [in-person] and/or virtual) during the calendar year for which one or more of the selected diagnostic tests, screenings, and/or preventive services listed on Lines 21 – 26e were provided.

#### **DENTAL SERVICES (LINES 27 – 34)**

**Visits, Column A:** Report the total number of visits (clinic [in-person] and/or virtual) for which one or more of the listed diagnostic tests, screenings, and/or dental services were provided during the year. Services may be at the time of a visit, before a visit, or after a visit.

**Patients, Column B:** Report patients who had at least one visit with a dental professional during the calendar year for each of the selected dental services listed.

For more detailed information see UDS Reporting Instructions for CY 2024 Health Center Data, pages 77 – 88.

Revised August 2024



## Table 6A: Selected Diagnoses and Services Rendered

#### **HOW DATA ARE USED:**

#### To calculate:

- The average visits per patient per year for a particular condition and/or service divide Column B by Column A (e.g., number of diabetes visits per diabetic patient per year).
- *The frequency of acute care services by service type* (e.g., well child immunizations).
- The proportion of patients who received recommended, appropriate routine preventive services (e.g., pediatric patients who received well child visits).
- Proportion of patients receiving tests or services of a selected age group (e.g., percent of women who receive contraceptive services of women age 15-44; percent of women receiving Pap tests of women age 23-64).

### **CROSS TABLE CONSIDERATIONS:**

- Visits and patients reported in any cell of the grant-specific tables cannot exceed the number reported in the same cell of any table on the Universal Report.
- Tables 6A, Table 5 and Addendum: Table 6A activity reported for substance use disorder and mental health treatment are compared to the Table 5 addendum and the main part of Table 5 mental health and substance use lines.
- Tables 6A and 7: Table 6A is NOT the same as Table 7. Patients reported with diabetes or hypertension on Table 6A may not satisfy the additional criteria that must be met for inclusion on Table 7. Similarly, some patients counted on Table 7 may not have had a reported visit on Table 6A.

■ Table 6A and 6B: Tobacco use disorder on Table 6A (Line 19a) is NOT the same as patients identified as tobacco users on Table 6B (Line 14a) because Table 6B has additional inclusion criteria.

### **TABLE TIPS:**

Table 6A is completed for the Universal Report and the grant-specific reports (if applicable).

All clinic and virtual visits reported on Table 6A are also reported on Table 5.

### **SELECTED DIAGNOSES (LINES 1-20f):**

- Report visits and patients regardless of whether the diagnosis is primary.
- Report each included diagnosis made at a visit, regardless of the number of diagnoses listed for the visit (e.g., count a patient visit with a diagnosis of hypertension and a diagnosis of diabetes once on Line 9 and once on Line 11).
- Include follow-up services related to a countable visit. (e.g., if a provider asks a patient to return in 30 days for a flu shot, when that patient presents, the shot is counted because it is considered to be a part of the initial visit).
- Line 4d: Post COVID-19 Condition (ICD-10 U09.9).
  - Column A = Number of visits at which the selected ICD-10 code for post COVID-19 condition has been coded.
  - Column B = Number of patients who have had one or more visits where post COVID-19 condition has been coded.
  - Note: This condition should be coded regardless of primacy. In other words, if a patient is treated for pneumonia and post COVID-19 condition, both pneumonia and post COVID-19 condition are documented in the patient health record and reflected in the corresponding lines of Table 6A.

For more detailed information see UDS Reporting Instructions for CY 2024 Health Center Data, pages 77 – 88.

Revised August 2024 2



## **Table 6A: Selected Diagnoses and Services Rendered**

# SELECTED TESTS/SCREENINGS/PREVENTATIVE SERVICES (LINES 21–26d):

- Use either ICD-10-CM, Healthcare Common Procedure Coding System (HCPCS) or Current Procedural Technology (CPT) codes for each line.
- On several lines, HCPCS, CPT codes and ICD-10-CM codes are provided. Health centers may use *either* HCPCS, CPT codes *or* the ICD-10-CM codes for any specific visit, *but not* all code types.
- A single visit may include multiple types of services (e.g., Pap test, mammogram, and family planning service) and would be reported once on each of the specified service lines.
- A visit is counted only once for any one service code even if multiple services are given (e.g., five vaccines or two fillings in one visit are counted only once).

Note: ICD-10-CM codes for some services (such as mammography and Pap tests) are listed to capture procedures that are done by the health center but may be coded with a different CPT code for reimbursement under Title X or BCCCP. In some instances, payers and labs ask health centers to use different codes for services. In these instances, health centers should internally map these codes to the specified list for reporting purposes.

- Line 21e Pre-Exposure Prophylaxis (PrEP):
  - Limit the reporting of Line 21e to patients prescribed PrEP based on a patient's risk for HIV exposure AND limited to emtricitabine/ tenofovir alafenamide (FTC/TAF) for the purposes of preventing HIV.
  - There are no codes to identify PrEP management, and the codes in the manual do not alone represent patient health records of PrEP prescribed to patients for

the purposes of preventing HIV. Therefore, for accuracy of reporting patients on this line, it is important to limit the patients to those as noted above.

### **DENTAL SERVICES (LINES 27-34):**

- Lines 27 through 34 present the name and applicable American Dental Association (ADA) procedure codes for selected dental services.
- During one visit, more than one test, screening, or dental service may be provided. Report each screening, or test on each separate, applicable line. If they are on the same line, report only one visit (e.g., if patient had more than one tooth filled during a visit, report only one visit for restorative services (Line 32), not one visit per tooth).
- Do not report fluoride treatments or varnishes that are applied outside of a comprehensive plan, including when provided as part of a community service at schools, on this table or as a visit on Table 5.

#### **SERVICES PROVIDED BY MULTIPLE ENTITIES**

- Report the service if a health center provider orders and performs the service.
- If the health center provider orders a test (e.g., HIV test) and the sample is collected at the health center and then sent to a reference lab for processing, report the test regardless of whether the test is paid for by the patient, the patient's insurance company, a government entity, or the health center.
- Report a test when the health center provider asks a patient to get that test from a third party and the health center provider receives and reviews the test results with the patient (e.g., report mammograms performed by a thirdparty provider that a health center contracts with and for which the health center reviews the result with the patient).

For more detailed information see UDS Reporting Instructions for CY 2024 Health Center Data, pages 77 - 88.

Revised August 2024



# Table 6A: Selected Diagnoses and Services Rendered

### **SELECTED CALCULATION:**

Shown below, average number of Diabetes Mellitus (DM) diagnosis visits per patient per year = 30,090/9,928 = 3.0 DM visits/patient/year. See Table 6A example below.

TABLE 6A: SELECTED DIAGNOSES AND SERVICES RENDERED							
Line	Diagnostic Category	Applicable ICD-10-CM Code or Value Set Object Identifier (OID)	Number of Visits by Diagnosis Regardless of Primacy (a)	Number of Patients with Diagnosis (b)			
Selected Other Medical Conditions							
7.	Abnormal breast findings, female	C50.01-, C50.11-, C50.21-, C50.31-, C50.41-, C50.51-, C50.61-, C50.81-, C50.91-, C79.81, D05-, D48.6-, D49.3, N60-, N63-, R92-	148	118			
8.	Abnormal cervical findings	C53-, C79.82, D06-, R87.61-, R87.629, R87.810, R87.820	2,130	1,078			
9.	Diabetes mellitus	E08- through E13-, 024- (exclude 024.41-) OID: 2.16.840.1.113883.3.464. 1003.103.12.1001	30,090	9,928			

### **CROSS TABLE CONSIDERATION EXAMPLE:**

Compare this to Table 7, Section C, Line i, Column 3a (see next page): Total patients ages 18-75 with diabetes. This number is only 8,905 because these are patients who meet all of the following criteria:

- Diagnosed with an active diagnosis of Type 1 or Type 2 diabetes.
- Had at least one medical visit (clinic or virtual) during the measurement year.
- Did **not** have secondary diabetes (e.g., gestational diabetes).

In other words, the number on Table 7 is smaller because Table 6A includes some patients in a different age group (younger than 18 or older than 75) and Table 6A also includes some patients with secondary diabetes, as well as some patients with diabetes that are excluded on Table 7 (e.g., patients who were in hospice care during the measurement period).

For more detailed information see UDS Reporting Instructions for CY 2024 Health Center Data, pages 77 – 88.

Revised August 2024



# **Table 6A: Selected Diagnoses and Services Rendered**

### **CROSS TABLE CONSIDERATION EXAMPLE: (CONTINUED)**

### TABLE 7 SECTION C: DIABETES: HEMOGLOBIN A1C POOR CONTROL

Line	Race and Ethnicity	Total Patients 18 through 74 Years of Age with Diabetes (3a)	Number of Records Reviewed (3b)	Patients with HbA1c >9% or No Test During the Year (3f)			
MEXICAN, MEXICAN AMERICAN, CHICANO/A							
	Subtotal Mexican, Mexican American, Chicano/a	752	752	243			
PUERTO RICAN							
	Subtotal Puerto Rican	247	247	86			
CUBAN							
	Subtotal Cuban	1,023	1,023	306			
ANOTHER HISPANIC, LATINO/A, OR SPANISH ORIGIN							
	Subtotal Another Hispanic or Latino/a, or Spanish Origin	430	430	148			
HISPANIC, LATINO/A, SPANISH ORIGIN COMBINED							
	Subtotal Hispanic, Latino/a, or Spanish Origin Combined	347	347	42			
NOT HISPANIC, LATINO/A OR SPANISH ORIGIN							
	Subtotal Not Hispanic or Latino/a or Spanish Origin	6,106	6,106	1,938			
UNREPORTED/CHOSE NOT TO DISCLOSE RACE AND ETHNICITY							
h	Unreported/Chose Not to Disclose Race and Ethnicity	414	414	111			
i	Total	8,905	8,905	2,763			

For more detailed information see UDS Reporting Instructions for CY 2024 Health Center Data, pages 77 – 88.

Revised August 2024 5